

FIG. 1




FIG. 2




FIG. 3




FIG. 4A




FIG. 4B




FIG. 4C






FIG. 4D





In the Fig. 3 example, the English language is assumed, and the increase/decrease directions are determined based on the directional flow of the English language. In this directional flow, the up/down direction is resolved first, such that, for example dragging to the left above the selection increases the selection area, but dragging to the left/below the selection decreases the selection area. Such directional logic is dependent on the directional flow of the language, and will be readily apparent to one of ordinary skill in the art.

FIG. 6A

In the Fig. 3 example, the English language is assumed, and the increase/decrease directions are determined based on the directional flow of the English language. In this directional flow, the up/down direction is resolved first, such that, for example, dragging to the left above the selection increases the selection area, but dragging to the left below the selection decreases the selection area. Such directional logic is dependent on the directional flow of the language, and will be readily apparent to one of ordinary skill in the art.

FIG. 6B

601

602b

602a

In the Fig. 3 example, the English language is assumed, and the increase/decrease directions are determined based on the directional flow of the English language. In this directional flow, the up/down direction is resolved first, such that, for example, dragging to the left above the selection increases the selection area, but dragging to the left below the selection decreases the selection area. Such directional logic is dependent on the directional flow of the language, and will be readily apparent to one of ordinary skill in the art.

FIG. 6C

601




FIG. 7A




FIG. 7B




FIG. 8A




FIG. 8B




FIG. 8C